

CSS Styles

The CSS properties for tables and cells is increased over that in html2fpdf. It includes recognition of THEAD, TFOOT and TH.

See below for other facilities such as autosizing, and rotation.

Row 1	This is data	This is data
Row 2	This is data p This is data out of p This is bold data p This is bold data out of p This is normal data after br H3 in a table This is data div This is data out of div This is data div (bold) This is data out of div	More data This is large text
Row 3	This is long data	This is data
Row 4 <td> cell	This is data	This is data
Row 5	Also data	Also data
Row 6	Also data	Also data
Row 7	Also data	Also data
Row 8	Also data	Also data

This table has padding-left and -right set to 5mm i.e. padding within the cells. Also border colour and style, font family and size are set by **css**.

Row 1	This is data	This is data
Row 2	This is data p	More data
Row 3	This is long data	This is data
Row 4 <td> cell	This is data	This is data
Row 5	Also data	Also data
Row 6	Also data	Also data
Row 7	Also data	Also data
Row 8	Also data	Also data

This table has padding-top and -bottom set to 3mm i.e. padding within the cells. Also background-, border colour and style, font family and size are set by in-line **css**.

Row 1	This is data	This is data
Row 2	This is data p	More data
Row 3	This is long data	This is data

Table Styles

The style sheet used for these examples shows some of the table styles I use on my website. The property 'topntail' defined by a border-type definition e.g. "1px solid #880000" puts a border at the top and bottom of the table, and also below a header row (thead) if defined. Note also that <thead> will automatically turn on the header-repeat i.e. reproduce the header row at the top of each page.

bpmTopic Class

Row 1	This is data	This is data
Row 2	This is data p	More data
Row 3	This is long data	This is data
Row 4 <td> cell	This is data	This is data
Row 5	Also data	Also data
Row 6	Also data	Also data
Row 7	Also data	Also data
Row 8	Also data	Also data

bpmTopicC Class (centered) Odd and Even rows

COL/ROW HEADER	SECOND COLUMN HEADER P	THIRD COLUMN HEADER
Row header 1	This is data	This is data
Row header 2	This is data p	This is data
Row header 3	This is long data	This is data
Row header 4 <th> cell acting as header	This is data	This is data
Row header 5	Also data	Also data
Row header 6	Also data	Also data
Row header 7	Also data	Also data
Row header 8	Also data	Also data

bpmTopnTail Class

Row 1	This is data	This is data
Row 2	This is data p	This is data
Row 3	This is long data	This is data
Row 4 <td> cell	This is data	This is data
Row 5	Also data	Also data
Row 6	Also data	Also data
Row 7	Also data	Also data
Row 8	Also data	Also data

bpmTopnTailC Class (centered) Odd and Even rows

COL/ROW HEADER	SECOND COLUMN HEADER P	THIRD COLUMN HEADER
Row header 1	This is data	This is data
Row header 2	This is data p	This is data
Row header 3	This is long data	This is data

COL/ROW HEADER	SECOND COLUMN HEADER P	THIRD COLUMN HEADER
Row header 4 <th> cell acting as header	This is data	This is data
Row header 5	Also data	Also data
Row header 6	Also data	Also data
Row header 7	Also data	Also data
Row header 8	Also data	Also data

TopnTail Class

COL AND ROW HEADER	SECOND COLUMN	TOP RIGHT ALIGN
Row header 1 p	This is data	This is data
Row header 2	<i>Bottom right align</i>	This is data. Can use bold italic _{sub} or ^{sup} text
Bottom right align	This is data. This cell uses Cell Styles to set the borders. All borders are collapsible in mPDF.	This is data
Row header 4	This is data p	More data
Row header 5	Also data merged and centered	

LISTS IN A TABLE

COL AND ROW HEADER	SECOND COLUMN	TOP RIGHT ALIGN
Row header 1 p	This is data	This is data
Row header 2	<ol style="list-style-type: none"> 1. Item 1 2. Item 2 <ol style="list-style-type: none"> 1. Subitem of ordered list 2. Subitem 2 <ol style="list-style-type: none"> 1. Level 3 subitem 2. Level 3 subitem 3. Item 3 4. Another Item 5. Subitem <ol style="list-style-type: none"> 1. Level 3 subitem 6. Another Item 	Unordered list: - Item 1 - Item 2 - Subitem of unordered list - Subitem 2 - Level 3 subitem - Level 3 subitem - Level 3 subitem - Item 3

AUTOMATIC COLUMN WIDTH

Causes	Nulla felis erat, imperdiet eu, ullamcorper non, nonummy quis, elit. Ut a eros at ligula vehicula pretium; maecenas feugiat pede vel risus. Suspendisse potenti
Mechanisms	Ut magna ipsum, tempus in, condimentum at, rutrum et, nisl. Vestibulum interdum luctus sapien. Quisque viverra. Etiam id libero at magna pellentesque aliquet. Nulla sit amet ipsum id enim tempus dictum. Maecenas consectetur eros quis massa. Mauris semper velit vehicula purus. Duis lacus. Aenean pretium consectetur mauris. Ut purus sem, consequat ut, fermentum sit amet, ornare sit amet, ipsum. Donec non nunc. Maecenas fringilla. Curabitur libero. In dui massa, malesuada sit amet, hendrerit vitae, viverra nec, tortor. Donec varius. Ut ut dolor et tellus adipiscing adipiscing.

COL AND ROW HEADER	SECOND COLUMN HEADER	THIRD COLUMN HEADER
Another Row header	Also data	Also data
Another Row header	Also data	Also data
Another Row header	Also data	Also data
Another Row header	Also data	Also data
Another Row header	Also data	Also data
Another Row header	Also data	Also data
Another Row header	Also data	Also data
Another Row header	Also data	Also data
Another Row header	Also data	Also data
Another Row header	Also data	Also data
Another Row header	Also data	Also data
Another Row header	Also data	Also data
Another Row header	Also data	Also data
Another Row header	Also data	Also data
COL AND ROW FOOTER	SECOND COLUMN FOOTER	THIRD COLUMN FOOTER

Autosizing Tables

Periodic Table of elements. Tables are set by default to reduce font size if complete words will not fit inside each cell, to a maximum of $1/1.4 * \text{the set font-size}$. This value can be changed by setting `$mpdf->shrink_tables_to_fit=1.8` or using html attribute `<table autosize="1.8">`.

Periodic Table

1A	2A	3B	4B	5B	6B	7B	8B	8B	8B	1B	2B	3A	4A	5A	6A	7A	8A
H																	He
Li	Be											B	C	N	O	F	Ne
Na	Mg											Al	Si	P	S	Cl	Ar
K	Ca	Sc	Ti	V	Cr	Mn	Fe	Co	Ni	Cu	Zn	Ga	Ge	As	Se	Br	Kr
Rb	Sr	Y	Zr	Nb	Mo	Tc	Ru	Rh	Pd	Ag	Cd	In	Sn	Sb	Te	I	Xe
Cs	Ba	La	Hf	Ta	W	Re	Os	Ir	Pt	Au	Hg	Tl	Pb	Bi	Po	At	Rn
Fr	Ra	Ac															
			Ce	Pr	Nd	Pm	Sm	Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	
			Th	Pa	U	Np	Pu	Am	Cm	Bk	Cf	Es	Fm	Md	No	Lr	

Rotating Tables

This is set to rotate -90 degrees (counterclockwise).

Periodic Table

1A	H	He	8A	He
2A	Li	Be	7A	F
3A	Na	Mg	6A	O
4A	K	Ca	5A	N
5A	Rb	Sr	4A	C
6A	Cs	Ba	3A	B
7A	Fr	Ra	2B	Al
8A			1B	Ga
			2A	Ge
			3B	In
			4B	Tl
			5B	Hg
			6B	Zn
			7B	Cd
			8B	Cu
			9B	Ag
			10B	Au
			11B	Pt
			12B	Ni
			13B	Pd
			14B	Pt
			15B	Co
			16B	Rh
			17B	Ir
			18B	Fe
			19B	Ru
			20B	Os
			21B	Mn
			22B	Tc
			23B	Re
			24B	Cr
			25B	Mo
			26B	W
			27B	V
			28B	Nb
			29B	Ta
			30B	Pb
			31B	Bi
			32B	Po
			33B	At
			34B	Lu
			35B	Yb
			36B	No
			37B	Lr
			38B	
			39B	
			40B	
			41B	
			42B	
			43B	
			44B	
			45B	
			46B	
			47B	
			48B	
			49B	
			50B	
			51B	
			52B	
			53B	
			54B	
			55B	
			56B	
			57B	
			58B	
			59B	
			60B	
			61B	
			62B	
			63B	
			64B	
			65B	
			66B	
			67B	
			68B	
			69B	
			70B	
			71B	
			72B	
			73B	
			74B	
			75B	
			76B	
			77B	
			78B	
			79B	
			80B	
			81B	
			82B	
			83B	
			84B	
			85B	
			86B	
			87B	
			88B	
			89B	
			90B	
			91B	
			92B	
			93B	
			94B	
			95B	
			96B	
			97B	
			98B	
			99B	
			100B	
			101B	
			102B	
			103B	
			104B	
			105B	
			106B	
			107B	
			108B	
			109B	
			110B	
			111B	
			112B	
			113B	
			114B	
			115B	
			116B	
			117B	
			118B	

